



CD11c Monoclonal Antibody (N418), eFluor 506, eBioscience™

Product Details	
Size	100 μg
Species Reactivity	Mouse
Published Species	Mouse, Human
Host/Isotype	Armenian hamster / IgG
Recommended Isotype Control	Armenian Hamster IgG Isotype Control (eBio299Arm), eFluor 506, eBioscience™
Class	Monoclonal
Туре	Antibody
Clone	N418
Conjugate	eFluor® 506
Form	Liquid
Concentration	0.2 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2, with 0.1% gelatin
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_2637427

Applications	Tested Dilution	Publications
Immunohistochemistry (IHC)	-	12 Publications
Immunohistochemistry (Frozen) (IHC (F))	-	3 Publications
Immunocytochemistry (ICC/IF)	-	5 Publications
Flow Cytometry (Flow)	0.25 µg/test	72 Publications
Miscellaneous PubMed (Misc)	-	1 Publication

Product Specific Information

Description: The N418 monoclonal antibody reacts with mouse CD11c, the integrin alpha X. CD11c non-covalently associates with beta 2 integrin to form the CD11c/CD18 heterodimer. CD11c is expressed by dendritic cells, a subset of Intestinal Intraepithelial Lymphocytes (IEL) and some activated T cells. CD11c/CD18 binds to CD54, iC3b and fibrinogen and plays a role in leukocyte adhesive interactions. N418 binds to CD11c on splenic dendritic cells in the T-dependent areas of mouse spleen and precipitates a 150, 90 kDa heterodimer.

Applications Reported: This N418 antibody has been reported for use in flow cytometric analysis.


Applications Tested: This N418 antibody has been tested by flow cytometric analysis of mouse splenocytes. This can be used at less than or equal to 0.25 µg per test. A test is defined as the amount (µg) of antibody that will stain a cell sample in a final volume of 100 µL. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

eFluor® 506 can be excited with the violet laser line (405 nm) and emits at 506 nm. We recommend using a 510/20 band pass filter, or equivalent. Please make sure that your instrument is capable of detecting this fluorochrome.

Excitation: 405 nm; Emission: 506 nm; Laser: Violet Laser.

Filtration: 0.2 µm post-manufacturing filtered.

Product Images For CD11c Monoclonal Antibody (N418), eFluor 506, eBioscience™



CD11c Antibody (69-0114-82) in Flow

Staining of C57Bl/6 splenocytes with Anti-Human/Mouse CD45R (B220) PE (Product # 12-0452-82) and 0.125 μ g of Armenian Hamster IgG Isotype Control eFluor® 506 (Product # 69-4888-82) (left) or 0.125 μ g of Anti-Mouse CD11c eFluor® 506 (right). Total viable cells, as determined by Fixable Viability Dye eFluor® 660 (Product # 65-0864-14), were used for analysis.

View more figures on thermofisher.com

□ 93 References

Immunohistochemistry (12)

EMBO molecular medicine

Glufosinate constrains synchronous and metachronous metastasis by promoting anti-tumor macrophages.

"Published figure using CD11c monoclonal antibody (Product # 69-0114-82) in Flow Cytometry"

Authors: Menga A,Serra M,Todisco S,Riera-Domingo C,Ammarah U,Ehling M,Palmieri EM,Di Noia MA,Gissi R,Favia M, Pierri CL,Porporato PE,Castegna A,Mazzone M

SpeciesNot Applicable

Dilution Not Cited

Year 2020

International journal of molecular medicine

Identification of different macrophage subpopulations with distinct activities in a mouse model of oxygen-induced retinopathy.

"Published figure using CD11c monoclonal antibody (Product # 69-0114-82) in Immunofluorescence"

Authors: Zhu Y,Zhang L,Lu Q,Gao Y,Cai Y,Sui A,Su T,Shen X,Xie B

SpeciesNot Applicable

Dilution Not Cited

Year 2017

View more IHC references on thermofisher.com

Immunohistochemistry (Frozen) (3)

The Journal of experimental medicine

Essential roles of DC-derived IL-15 as a mediator of inflammatory responses in vivo.

"Published figure using CD11c monoclonal antibody (Product # 69-0114-82) in Immunohistochemistry"

Authors: Ohteki T,Tada H,Ishida K,Sato T,Maki C,Yamada T,Hamuro J,Koyasu S

Species
Not Applicab

Not Applicable

Dilution Not Cited

Year 2006

International immunology

The existence of CD11c+ sentinel and F4/80+ interstitial dendritic cells in dental pulp and their dynamics and functional properties.

Authors: Zhang J, Kawashima N, Suda H, Nakano Y, Takano Y, Azuma M

Species

Not Applicable

Dilution Not Cited

Year 2006

View more IHC (F) references on thermofisher.com

More applications with references on thermofisher.com

ICC/IF (5) Flow (72) Misc (1)

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization, Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production occumentation, specifications and/or accompanying package inserts (To-Documentation). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, his warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT, BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS) BUYER OR SEALOR OF OR REPUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION, THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR SEALOR OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (V) IMPROPER STON AT PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption to human or animals.