

CD62L (L-Selectin) Monoclonal Antibody (MEL-14), NovaFluor Blue 555, eBioscience™

Product Details	
Size	25 μg
Species Reactivity	Mouse
Host/Isotype	Rat / IgG2a, kappa
Class	Monoclonal
Туре	Antibody
Clone	MEL-14
Conjugate	NovaFluor™ Blue 555
Form	Liquid
Concentration	0.1 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!

Applications	Tested Dilution	Publications
Flow Cytometry (Flow)	0.2 μg/test	-

Product Specific Information

Description: The MEL-14 monoclonal antibody reacts with mouse CD62L, a 76 kDa member of the selectin family. CD62L is expressed by neutrophils, monocytes, and subsets of T, B, and NK cells and binds a number of glycosylated, fucosylated, sulfated sialylated glycoproteins including CD34, glycam-1 and MAdCam-1. These interactions mediate rolling of lymphocytes on activated endothelium at the sites of inflammation and homing of cells to the high endothelial venules (HEV) of peripheral lymphoid tissues.

Applications Reported: The MEL-14 antibody has been reported for use in flow cytometric analysis.

Applications Tested: The MEL-14 antibody has been tested by flow cytometric analysis of mouse splenocytes. This can be used at less than or equal to $0.2 \mu g$ per test. A test is defined as the amount (μg) of antibody that will stain a cell sample in a final volume of $100 \mu L$. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Each NovaFluor conjugate or kit is shipped with CellBlox Blocking Buffer. Use this buffer whenever staining with NovaFluor conjugates, including single color compensation controls using cells. Use 5 µL of CellBlox Blocking Buffer per stained cell sample containing 10^3 to 10^8 cells.

Excitation: 496 nm; Emission: 555 nm; Laser: 488 nm (Blue) Laser

NovaFluor conjugates are based on Phiton™ technology utilizing novel nucleic acid dye structures that allow for engineered fluorescent signatures with consideration for spillover and spread impacts. Learn more

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample, turnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No O'THER WARRANTIES, EXPRESS OR IMPLED, ARE GANTED LUINING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY, FINTESS FOR ANY PARTICULLAR PURPOSE, OR NO PRIVERS EXCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY, FINTESS FOR ANY PARTICULAR PURPOSE, OR NO PRIVERS EXCLUDING WITHOUT SUBJECT EXCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY, FINTESS FOR ANY PARTICULAR PURPOSE, OR NO PRIVERS EXCLUDING WARRANTIES OF MERCHANTABILITY, FINTESS FOR ANY PARTICULAR PURPOSE, OR NO PRIVERS EXCLUDING WARRANTIES OR MERCHANTABILITY, FINTESS FOR ANY PARTICULAR PURPOSE, OR NO PRIVERS EXCLUDING WARRANTIES OR MERCHANTABILITY, FINTESS FOR ANY PARTICULAR PURPOSE, OR NO PRIVERS EXCLUDING WARRANTIES OR MERCHANTABILITY, FINTESS FOR ANY PARTICULAR PURPOSE, OR NOT PRIVERS FOR AN