

Semi-auto Chemistry Analyzer

BIOBASE-Silver



Email: export@biobase.com

Website: www.biobase.cc / www.meihuatrade.com

- Features:**
- ①. Easy operation by one button.
 - ②. End point, kinetic, fixed time, rate, etc.
 - ③. Filter wavelength: 340/405/450/510/546/578/630nm, 2 more open filter positions, others on request.
 - ④. With 20 incubating positions.
 - ⑤. Large Memory to store 144 test programs and 5600 testing results.
 - ⑥. Excellent Q.C function, Q.C chart can be stored, displayed and printed.
 - ⑦. 37°C temperature in flow cell and incubating.
 - ⑧. Real time graph can be displayed and printed.

Parameters:

Model	BIOBASE-Silver
Reading cuvette	Quartz cuvette; Both through cell and direct reading cuvette
Incubating positions	20 incubating positions
Photometric System	Light source: 6V, 10W long life halogen lamp
	Filters: 340/405/450/510/546/578/630nm, 2 more open filter positions
	Wavelength accuracy: ±2nm
Measuring System	Measuring range: 0~3.500O.D.
	Photometric linearity: ±2% from 0 to 2.500 O.D.
	Photometric accuracy: ±2% from 0 to 2.500 O.D.
	Drift<0.005 O.D.
Incubator Temperature	R.T. 25°C, 30°C, 37°C
Control	Precision: ±0.1°C
Display	Touch Screen
Printer	Built-in thermal printer
Interface	RS-232, USB
Power Supply	AC110/220V±10%, 60/50Hz
External Size(W*D*H)	400*380*200mm
Packing Size(W*D*H)	500*530*350mm
Gross Weight	12kg