



HLA-DR Monoclonal Antibody (LN3), eFluor 450, eBioscience™

Product Details	
Size	100 Tests
Species Reactivity	Human
Published Species	Human
Host/Isotype	Mouse / IgG2b, kappa
Recommended Isotype Control	Mouse IgG2b kappa Isotype Control (eBMG2b), eFluor 450, eBioscience™
Class	Monoclonal
Туре	Antibody
Clone	LN3
Conjugate	eFluor™ 450
Form	Liquid
Concentration	5 μL/Test
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2, with 0.1% gelatin, 0.2% BSA
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_10718248

Applications	Tested Dilution	Publications
Immunohistochemistry (IHC)	-	2 Publications
Immunocytochemistry (ICC/IF)	-	1 Publication
Flow Cytometry (Flow)	5 μL (0.125 μg)/test	15 Publications
ELISA (ELISA)	-	1 Publication

Product Specific Information

Description: The LN3 mAb reacts with the human major histocompatibility complex (MHC) class II, HLA-DR. HLA-DR is expressed on the surface of human antigen presenting cells (APC) including B cells, monocytes, macrophages, DCs, and activated T cells. HLA-DR is a heterodimeric transmembrane protein composed of alpha and beta subunits and plays an important role in the presentation of peptides to CD4⁺ T lymphocytes.

Applications Reported: This LN3 antibody has been reported for use in flow cytometric analysis.


Applications Tested: This LN3 antibody has been pre-titrated and tested by flow cytometric analysis of normal human peripheral blood cells. This can be used at 5 μ L (0.125 μ g) per test. A test is defined as the amount (μ g) of antibody that will stain a cell sample in a final volume of 100 μ L. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test.

eFluor® 450 is an alternative to Pacific Blue®. eFluor® 450 emits at 445 nm and is excited with the Violet laser (405 nm). Please make sure that your instrument is capable of detecting this fluorochome.

Excitation: 405 nm; Emission: 445 nm; Laser: Violet Laser.

Filtration: 0.2 µm post-manufacturing filtered.


Advanced Verification Data



HLA-DR Antibody (48-9956-42)

Staining of human peripheral blood cells. As expected based on known relative expression patterns, HLA-DR clone LN3 stains monocytes and a subset of lymphocytes (B cells) but does not stain granulocytes. Details: Normal human whole blood was surface stained with HLA-DR (clone LN3). After staining, red blood cells were lysed using 1-step Fix/Lyse Buffer. Cells in the lymphocyte (purple histogram), monocyte (orange histogram), or granulocyte (blue histogram) gates were used for analysis of HLA-DR staining. Relative expression validation info.

Product Images For HLA-DR Monoclonal Antibody (LN3), eFluor 450, eBioscience™



HLA-DR Antibody (48-9956-42) in Flow

Staining of normal human peripheral blood cells with Mouse IgG2b K Isotype Control eFluor® 450 (Product # 48-4732-82) (blue histogram) or Anti-Human HLA-DR eFluor® 450 (purple histogram). Cells in the lymphocyte (left) or monocyte (right) gate were used for analysis.

View more figures on thermofisher.com

■ 19 References

Immunohistochemistry (2)

Frontiers in molecular neuroscience

Increased White Matter Inflammation in Aging- and Alzheimer's Disease Brain.

"Published figure using HLA-DR monoclonal antibody (Product # 48-9956-42) in Immunohistochemistry"

Authors: Raj D,Yin Z,Breur M,Doorduin J,Holtman IR,Olah M,Mantingh-Otter IJ,Van Dam D,De Deyn PP,den Dunnen W,Eggen BJL,Amor S,Boddeke E

Species
Not Applicable

Not Applicable

Year 2020

Dilution Not Cited

Cells

Aquaporin-4 Expression during Toxic and Autoimmune Demyelination.

"Published figure using HLA-DR monoclonal antibody (Product # 48-9956-42) in Immunohistochemistry" Authors: Rohr SO,Greiner T,Joost S,Amor S,Valk PV,Schmitz C,Kipp M

Species Not Applicable

DilutionNot Cited

Year 2020

Immunocytochemistry (1)

Biochemistry and biophysics reports

Pentraxin-3 regulates the inflammatory activity of macrophages.

"Published figure using HLA-DR monoclonal antibody (Product # 48-9956-42) in Immunocytochemistry"

Authors: Shiraki A,Kotooka N,Komoda H,Hirase T,Oyama JI,Node K

Species Human

Dilution Not Cited

Year 2016

Flow Cytometry (15)

Science translational medicine

Lung transplantation for patients with severe COVID-19.

"48-9956 was used in Flow cytometry/Cell sorting to report the results of lung transplantation in three patients with non-resolving COVID-19-associated respiratory failure."

Authors: Bharat A,Querrey M,Markov NS,Kim S,Kurihara C,Garza-Castillon R,Manerikar A,Shilatifard A,Tomic R, Politanska Y,Abdala-Valencia H,Yeldandi AV,Lomasney JW,Misharin AV,Budinger GRS

Species Human

Dilution 1:40

Year 2020

View more Flow references on thermofisher.com

More applications with references on thermofisher.com

ELISA (1)

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS SURVINGE THE WARRANTY PERFOLO IS LIMITED TO REPEAR, REPLACED FOR REPUND FOR THE NON-CONFORMING PRODUCTS), AT SELECT SOLD OFTION. THERE IS NO DELIGATION TO REPEAR, REPLACED OR REPUND FOR THE NON-CONFORMING PRODUCTS, AT SELECT SOLD OFTION. THERE IS NO DELIGATION TO REPEAR, REPLACED OR REPUND FOR THE NON-CONFORMING PRODUCTS, AT SELECT SOLD OFTION. THERE IS NO DELIGATION TO REPEAR, REPLACED OR REPUND FOR THE NON-CONFORMING PRODUCTS, AT SELECT SOLD OFTION. THERE IS NO DELIGATION TO REPEAR, REPLACED OR REPUND FOR THE NON-CONFORMING PRODUCTS, AT SELECT SOLD OFTION. THERE IS NO DELIGATION TO REPEAR, REPLACED OR REPUND FOR THE NON-CONFORMING PRODUCTS, AT SELECT SOLD OFTION. THERE IS NO DELIGATION TO REPEAR, REPLACED OR REPUND FOR THE NON-CONFORMING PRODUCTS, AT SELECT SOLD OFTION. THERE IS NO DELIGATION TO REPEAR, REPLACED OR REPUND FOR THE NON-CONFORMING PRODUCTS, AT SEL