

CD90.2 (Thy-1.2) Monoclonal Antibody (53-2.1), APC, eBioscience™

Product Details	
Size	100 μg
Species Reactivity	Mouse
Published Species	Mouse
Host/Isotype	Rat / IgG2a, kappa
Recommended Isotype Control	Rat IgG2a kappa Isotype Control (eBR2a), APC, eBioscience™
Class	Monoclonal
Туре	Antibody
Clone	53-2.1
Conjugate	APC
Form	Liquid
Concentration	0.2 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2, with 0.1% gelatin
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_469422

Applications	Tested Dilution	Publications
Immunohistochemistry (IHC)	-	1 Publication
Flow Cytometry (Flow)	0.06 μg/test	48 Publications

Product Specific Information

Description: The 53-2.1 monoclonal antibody reacts with mouse CD90.2 also known as Thy-1.2, a GPI-linked membrane molecule. CD90.2 is expressed by mouse thymocytes and mature T cells as well as neurons in CD90.2-expressing mouse strains. These strains include BALB/c, CBA, C3H, C57BL/6, C58/, SJL and others. Cells from CD90.1-expressing strains including PL and AKR do not stain with 53-2.1. CD90 is involved in regulation of adhesion and signal transduction by T cells.


Applications Reported: The 53-2.1 antibody has been reported for use in flow cytometric analysis.


Applications Tested: The 53-2.1 antibody has been tested by flow cytometric analysis of mouse splenocytes. This can be used at less than or equal to 0.06 μ g per test. A test is defined as the amount (μ g) of antibody that will stain a cell sample in a final volume of 100 μ L. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Excitation: 633-647 nm; Emission: 660 nm; Laser: Red Laser.

Filtration: 0.2 µm post-manufacturing filtered.

Product Images For CD90.2 (Thy-1.2) Monoclonal Antibody (53-2.1), APC, eBioscience™





CD90.2 (Thy-1.2) Antibody (17-0902-82) in Flow

C57BL/6 mouse splenocytes were stained with CD45R (B220) Monoclonal Antibody, FITC (Product # 11-0452-82) and 0.06 µg Rat IgG2a kappa Isotype Control, APC (Product # 17-4321-82) (left) or 0.06 µg CD90.2 (Thy-1.2) Monoclonal Antibody, APC (right). Cells in the lymphocyte gate were used for analysis.

View more figures on thermofisher.com

□ 49 References

Immunohistochemistry (1)

Nature communications

Precardiac organoids form two heart fields via Bmp/Wnt signaling.

"17-0902 was used in Immunohistochemistry to study the specification of two cardiac origins via Bmp/Wnt signalling." Authors: Andersen P,Tampakakis E,Jimenez DV,Kannan S,Miyamoto M,Shin HK,Saberi A,Murphy S,Sulistio E,Chelko SP,Kwon C

Species Mouse

Dilution Not Cited

Year 2018

Flow Cytometry (48)

Frontiers in endocrinology

The Severe Deficiency of the Somatotrope GH-Releasing Hormone /Growth Hormone/Insulin-Like Growth Factor 1 Axis of Mice Is Associated With an Important Splenic Atrophy and Relative B Lymphopenia.

"17-0902 was used in Flow cytometry/Cell sorting to examine the precise control exerted by the somatotrope growth hormone(GH)-releasing hormone/GH/insulin-like growth factor 1 axis on the immune system."

Authors: Bodart G,Farhat K,Renard-Charlet C,Becker G,Plenevaux A,Salvatori R,Geenen V,Martens H

Species Mouse

Dilution Not Cited

Year

International journal of molecular sciences

Therapeutic Potential of Mesenchymal Stem Cells in a Pre-Clinical Model of Diabetic Kidney Disease and Obesity.

"Published figure using CD90.2 (Thy-1.2) monoclonal antibody (Product # 17-0902-82) in Flow Cytometry" Authors: Sávio-Silva C,Soinski-Sousa PE,Simplício-Filho A,Bastos RMC,Beyerstedt S,Rangel ÉB

SpeciesNot Applicable

Dilution Not Cited

Year 2021

View more Flow references on thermofisher.com

More applications with references on thermofisher.com

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization, Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, products are warranted to operate or perform substantially in conformance with published Product is subjected to normal, proper and intended usage. This warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTES, OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT, BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS SURVINGE THE WARRANTY PERFORD IS LIMITED TO REPEAR, REPLACED OR REFUND FOR THE NON-CONFORMING PRODUCTS, AT SELECT. SECUL OTHER WARRANTY DO BELIGATION, REPLACEMENT OR REPLACEMENT AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or in vivo therapeutic uses, or any type of consumption to human or animals.