

# CD133 (Prominin-1) Monoclonal Antibody (13A4), FITC, eBioscience™

Product Details	
Size	100 μg
Species Reactivity	Dog, Mouse
Published Species	Dog, Human, Mouse
Host/Isotype	Rat / IgG1, kappa
Recommended Isotype Control	Rat IgG1 kappa Isotype Control (eBRG1), FITC, eBioscience™
Class	Monoclonal
Туре	Antibody
Clone	13A4
Conjugate	FITC
Form	Liquid
Concentration	0.5 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2, with 0.1% gelatin
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_465198

Applications	Tested Dilution	Publications
Western Blot (WB)	-	3 Publications
Immunohistochemistry (IHC)	-	14 Publications
Immunocytochemistry (ICC/IF)	-	5 Publications
Flow Cytometry (Flow)	0.5 μg/test	24 Publications

#### **Product Specific Information**

Description: The 13A4 monoclonal antibody recognizes mouse Prominin-1 (sometimes also referred to as CD133 and, in the case of the human orthologue, as AC133), a 115-120 kDa pentaspan transmembrane (5-TM) domain glycoprotein. Prominin-1 is expressed on primitive cells such as hematopoietic stem and progenitor cells, neural and endothelial stem cells, retina and retinoblastoma, as well as developing epithelium. To date, the function and ligand of Prominin-1 are unknown. The 13A4 antibody does not cross react with rat, human, chicken, or Drosophila antigen but has been reported to work in canine/dog.


Applications Reported: The 13A4 antibody has been reported for use in flow cytometric analysis.

Applications Tested: The 13A4 antibody has been tested flow cytometric analysis of mouse bone marrow cells. This can be used at less than or equal to 0.5 µg per test. A test is defined as the amount (µg) of antibody that will stain a cell sample in a final volume of 100 μL. Cell number should be determined empirically but can range from 10<sup>5</sup> to 10<sup>8</sup> cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Excitation: 488 nm; Emission: 520 nm; Laser: Blue Laser.

Filtration: 0.2 µm post-manufacturing filtered.

## Product Images For CD133 (Prominin-1) Monoclonal Antibody (13A4), FITC, eBioscience™



## CD133 (Prominin-1) Antibody (11-1331-82) in Flow

Staining of C57Bl/6 bone marrow cells with Anti-Mouse CD11b APC (Product # 17-0112-82) and 0.25  $\mu g$  of Rat IgG1 kappa Isotype Control FITC (Product # 11-4301-82) (left) or 0.25  $\mu g$  of Anti-Mouse CD133 (Prominin-1) FITC (right). Total viable cells were used for analysis.

View more figures on thermofisher.com

#### □ 46 References

### Western Blot (3)

The Journal of clinical investigation

Mutant ataxin1 disrupts cerebellar development in spinocerebellar ataxia type 1.

"Published figure using CD133 (Prominin-1) monoclonal antibody (Product # 11-1331-82) in Immunohistochemistry" Authors: Edamakanti CR,Do J,Didonna A,Martina M,Opal P Species Not Applicable

**Dilution**Not Cited

**Year** 2018

**BMC** cancer

Impact of diabetes type II and chronic inflammation on pancreatic cancer.

"Published figure using CD133 (Prominin-1) monoclonal antibody (Product # 11-1331-82) in Immunohistochemistry"

Authors: Zechner D.Radecke T.Amme J.Bürtin F.Albert AC.Partecke LI,Vollmar B

Species Mouse

**Dilution** Not Cited

**Year** 2015

View more WB references on thermofisher.com

Immunohistochemistry (14)

The Journal of clinical investigation

Mutant ataxin1 disrupts cerebellar development in spinocerebellar ataxia type 1.

"Published figure using CD133 (Prominin-1) monoclonal antibody (Product # 11-1331-82) in Immunohistochemistry" Authors: Edamakanti CR,Do J,Didonna A,Martina M,Opal P

Species

Not Applicable

**Dilution** Not Cited

**Year** 2018

PloS one

Lgr5 Marks Post-Mitotic, Lineage Restricted Cerebellar Granule Neurons during Postnatal Development.

"Published figure using CD133 (Prominin-1) monoclonal antibody (Product # 11-1331-82) in Immunofluorescence"
Authors: Miller TE,Wang J,Sukhdeo K,Horbinski C,Tesar PJ,Wechsler-Reya RJ,Rich JN

Species
Not Applicable

**Dilution** Not Cited

**Year** 2017

View more IHC references on thermofisher.com

More applications with references on thermofisher.com

ICC/IF (5) Flow (24)

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation,"). No claim of using the implications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, or NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPLAY, REPLACEMENT OF REPLAY PORTICULAR PLAY PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) WISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivo or in vivo therapeutic uses, or any type of consumption to human or animals.