# CD133 (Prominin-1) Monoclonal Antibody (13A4), Super Bright 702, eBioscience™

Product Details	
Size	100 µg
Species Reactivity	Mouse
Host/Isotype	Rat / IgG1, kappa
Recommended Isotype Control	Rat IgG1 kappa Isotype Control (eBRG1), Super Bright 702, eBioscience™
Class	Monoclonal
Туре	Antibody
Clone	13A4
Conjugate	Super Bright 702
Form	Liquid
Concentration	0.2 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2, with BSA
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_2717163

Applications	Tested Dilution	Publications
Flow Cytometry (Flow)	0.5 µg/test	2 Publications

## **Product Specific Information**

Description: The 13A4 monoclonal antibody recognizes mouse Prominin-1 (sometimes also referred to as CD133 and, in the case of the human orthologue, as AC133), a 115-120 kDa pentaspan transmembrane (5-TM) domain glycoprotein. Prominin-1 is expressed on primitive cells such as hematopoietic stem and progenitor cells, neural and endothelial stem cells, retina and retinoblastoma, as well as developing epithelium. To date, the function and ligand of Prominin-1 are unknown. The 13A4 antibody does not cross react with rat, human, chicken, or Drosophila antigen but has been reported to work in canine/dog.\t

Applications Reported: This 13A4 antibody has been reported for use in flow cytometric analysis.

Applications Tested: This 13A4 antibody has been tested by flow cytometric analysis of mouse bone marrow cells. This may be used at less than or equal to 0.5  $\mu$ g per test. A test is defined as the amount ( $\mu$ g) of antibody that will stain a cell sample in a final volume of 100  $\mu$ L. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Super Bright 702 is a tandem dye that can be excited with the violet laser line (405 nm) and emits at 702 nm. We recommend using a 710/50 bandpass filter. Please make sure that your instrument is capable of detecting this fluorochrome.


When using two or more Super Bright dye-conjugated antibodies in a staining panel, it is recommended to use Super Bright Complete Staining Buffer (Product # SB-4401) to minimize any non-specific polymer interactions. Please refer to the datasheet for Super Bright Staining Buffer for more information. Light sensitivity: This tandem dye is sensitive to photo-induced oxidation. Please protect this vial and stained samples from light.

Fixation: Samples can be stored in IC Fixation Buffer (Product # 00-8222) (100  $\mu$ L of cell sample + 100  $\mu$ L of IC Fixation Buffer) or 1-step Fix/Lyse Solution (Product # 00-5333) for up to 3 days in the dark at 4°C with minimal impact on brightness and FRET efficiency/compensation. Some generalizations regarding fluorophore performance after fixation can be made, but clone specific performance should be determined empirically.

Excitation: 405 nm; Emission: 702 nm; Laser: Violet Laser

Super Bright Polymer Dyes are sold under license from Becton, Dickinson and Company.

## Product Images For CD133 (Prominin-1) Monoclonal Antibody (13A4), Super Bright 702, eBioscience™



## CD133 (Prominin-1) Antibody (67-1331-82) in Flow

BALB/c mouse bone marrow cells were stained with CD11b Monoclonal Antibody, PE-Cyanine7 (Product # 25-0112-82) and 0.25 µg of Rat IgG1 kappa Isotype Control, Super Bright 702 (Product # 67-4301-82) (left) or 0.25 µg of CD133 (Prominin-1) Monoclonal Antibody, Super Bright 702 (right). Total viable cells were used for analysis.

## CD133 (Prominin-1) Antibody (67-1331-82) in Flow

BALB/c mouse bone marrow cells were stained with CD117 Monoclonal Antibody, APC (Product # 17-1171-82) and 0.25 µg of Rat IgG1 kappa Isotype Control, Super Bright 702 (Product # 67-4301-82) (left) or 0.25 µg of CD133 (Prominin-1) Monoclonal Antibody, Super Bright 702 (right). Total viable cells were used for analysis.

View more figures on thermofisher.com

## 2 References

## Flow Cytometry (2)

STAR protocols	Species
Cell population analysis of the adult murine subependymal neurogenic	Not Applicable
lineage by flow cytometry.	Dilution
"Published figure using CD133 (Prominin-1) monoclonal antibody (Product # 67-1331-82) in Flow Cytometry"	Not Cited
Authors: Belenguer G,Duart-Abadia P,Domingo-Muelas A,Morante-Redolat JM,Fariñas I	<b>Year</b> 2021
Development (Cambridge, England)	Species
	<b>Species</b> Not Applicable
Membrane expression of the estrogen receptor ER is required for	•
Development (Cambridge, England) Membrane expression of the estrogen receptor ER is required for intercellular communications in the mammary epithelium. "Published figure using CD133 (Prominin-1) monoclonal antibody (Product # 67-1331-82) in Flow Cytometry"	Not Applicabl

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty pervoided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended uses not restend to anyone other than the Buyer. Any model or sample furnished to Buyer is mereil type and quality of goods and does not restend to anyone other than the Buyer. Any model or sample furnished to be more anyone and intended uses not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is mereil type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, ON NON INFRINGEMENT, BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTES OF MANY PARTICULAR PURPOSE, ON NON INFRINGEMENT, BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTES OF MANY PARTICULAR PURPOSE, OR (NUMERICE), OF (NUMERICE), OF