Corning Incorporated Life Sciences

Registered ISO 9001:2008

Product Description

Catalog Number: 3841

Product Description: Corning ® 96-well Poly-D-Lysine Coated, clear plate, with lid

Component Materials:

Plate/Lid - Virgin Polystyrene, meets USP, Class VI requirements for plastic containers and

closures.

Poly-D-Lysine - Synthetic or manufactured materials

Product Dimensions:

Length of Plate - 5.030 in. Diameter of Well @ top - .270 in. Width of Plate - 3.365 in. Diameter of Well @ - .250 in.

bottom

Depth to the bottom of - .420 in. Height with Lid - .650 in.

weİl

Tolerances of - +/-.010 in. Working Volume per well - 0.36 mL

Dimensions

Bioburden:

This product has been tested for Bioburden contamination. Results: Less than .52% of the wells contaminated.

Pyrogens:

The product has been tested and has met the criteria established in the current version of ANSI/AAMI ST 72: 2002/(R) 2010: Bacterial Endotoxins - Test methodologies, routine monitoring, and alternatives to batch

testing. Results: $\leq 0.5 \text{ EU/mL} (\leq 20 \text{EU/device})$

Poly-D-Lysine:

The plates are coated with 70-150 KD PDL polymer via a proprietary method, which creates a uniform net postive charge on the plastic surface. Manufactured wholly from synthetic or manufactured materials and does not contain any raw materials produced from or substances derived of animal origin.

Cell Attachment and Growth Characteristics:

The product has been tested for the attribute of cell attachment and growth utilizing an attachment- dependent mammalian cell line in a serum free media.

Performance Testing:

Each manufacturing lot is sampled and tested in accordance with Standard Operating Procedures.

Cell Growth: Visual for cell attachment.

Visual Attributes: Visual and microscopic examination of the product.

Packaging: Inspection for seal and barrier integrity, accurate labeling, and correct

product configuration.

Lot Number Designation:

8 Digit Lot Number: First 3 digits - Julian date, start of manufacturing; Next 2 digits - Year of manufacture; Last 3 digits - Batch identification.

Rev No: 4