



# CD107a (LAMP-1) Monoclonal Antibody (eBioH4A3), PE-Cyanine7, eBioscience™

<b>Product Details</b>	
Size	100 Tests
Species Reactivity	Human
Published Species	Human
Host/Isotype	Mouse / IgG1, kappa
Recommended Isotype Control	Mouse IgG1 kappa Isotype Control (P3.6.2.8.1), PE-Cyanine7, eBioscience™
Class	Monoclonal
Туре	Antibody
Clone	eBioH4A3
Conjugate	PE-Cyanine7
Form	Liquid
Concentration	5 μL/Test
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2, with 0.2% BSA
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_2573384

Applications	Tested Dilution	Publications
Flow Cytometry (Flow)	5 μL (0.06 μg)/test	6 Publications

#### **Product Specific Information**

Description: The eBioH4A3 monoclonal antibody reacts with human CD107a, also known as lysosomal-associated membrane protein-1 (LAMP-1). CD107a is a highly glycosylated protein of approximately 110kDa. It is predominantly expressed intracellularly in the lysosomal/endosomal membrane in nearly all cells. CD107a is transiently expressed on the cell surface of degranulating cytolytic T cells, and is also upregulated on the surface of activated platelets and some cancer cells.

Applications Reported: This eBioH4A3 antibody has been reported for use in intracellular staining followed by flow cytometric analysis.

Applications Tested: This eBioH4A3 antibody has been pre-titrated and tested by intracellular staining and flow cytometric analysis of Jurkat cells. This can be used at 5 µL (0.06 µg) per test. A test is defined as the amount (µg) of antibody that will stain a cell sample in a final volume of 100 µL. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test.

Light sensitivity: This tandem dye is sensitive to photo-induced oxidation. Please protect this vial and stained samples from light.


Fixation: Samples can be stored in IC Fixation Buffer (cat. 00-8222) (100 µL of cell sample + 100 µL of IC Fixation Buffer) or 1-step Fix/Lyse Solution (cat. 00-5333) for up to 3 days in the dark at 4°C with minimal impact on brightness and FRET efficiency /compensation. Some generalizations regarding fluorophore performance after fixation can be made, but clone specific

performance should be determined empirically.

Excitation: 488-561 nm; Emission: 775 nm; Laser: Blue Laser, Green Laser, Yellow-Green Laser.

Filtration: 0.2 µm post-manufacturing filtered.

## Product Images For CD107a (LAMP-1) Monoclonal Antibody (eBioH4A3), PE-Cyanine7, eBioscience™



# CD107a (LAMP-1) Antibody (25-1079-42) in Flow Staining of Jurkat cells with Mouse IgG1 K Isotype Control PE-Cyanine7 (Product # 25-4714-80) (blue histogram) or Anti-Human CD107a (LAMP-1) PE-Cyanine7 (purple histogram). Total cells were used for analysis.

View more figures on thermofisher.com

#### **□** 6 References

#### Flow Cytometry (6)

#### Oncoimmunology

T cells targeting NY-ESO-1 demonstrate efficacy against disseminated neuroblastoma.

"Published figure using CD107a (LAMP-1) monoclonal antibody (Product # 25-1079-42) in Flow Cytometry"

Authors: Singh N,Kulikovskaya I,Barrett DM,Binder-Scholl G,Jakobsen B,Martinez D,Pawel B,June CH,Kalos MD,

Grupp SA

Species Not Applicable

**Dilution** Not Cited

**Year** 2021

#### **PLoS** pathogens

HLA-B\*27:05 alters immunodominance hierarchy of universal influenzaspecific CD8+ T cells.

"Published figure using CD107a (LAMP-1) monoclonal antibody (Product # 25-1079-42) in Flow Cytometry"

Authors: Sant S,Quiñones-Parra SM,Koutsakos M,Grant EJ,Loudovaris T,Mannering SI,Crowe J,van de Sandt CE, Rimmelzwaan GF,Rossjohn J,Gras S,Loh L,Nguyen THO,Kedzierska K

**Species**Not Applicable

**Dilution**Not Cited

**Year** 2020

View more Flow references on thermofisher.com

### More applications with references on thermofisher.com

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINCEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACED FOR REPLANDEMENT OR REPLANDEMEN