Corning Incorporated Life Sciences

> <u>Registered</u> ISO 9001:2008

Product Description

Catalog Number:

3022P-500

Product Description: Corning® Cylinder, Single Scale, To Contain, Reusable Plastic, PP, Not Sterile, 500 mL

Component Materials:

Polypropylene (PP)

Attributes:

Capacity - 500 mL TC at 20°C, Tolerance: ±5 mL at any mark Product Dimensions - 54 mm Body ID x 360 mm High

Autoclaving:

Autoclaving this product using a standard cycle of 121°C and 15 psi for 15 minutes may change the physical shape of the product and its original volumetric accuracy.

Heating / Cooling:

The upper temperature limit for this plastic material is 125°C.

This product IS NOT suitable for Dry Heat Sterilization as it will melt. This product MUST NOT be heated by any direct, surface contacting heat source.

A lower limit usage temperature has not been established for this product.

Vacuum / Pressure:

This product is not designed for and is not rated for vacuum or pressure applications.

Sterilization: Shipped Not Sterile

Lot Number Designation:

Each production lot is uniquely identified with an 8 digit lot number as follows: First 3 digits - Julian date, start of manufacturing; Next 2 digits - Year of manufacture; Last 3 digits - Batch identification.

Revision Date: 01 MAR 2011

Rev No: 1