# CD49f (Integrin alpha 6) Monoclonal Antibody (eBioGoH3 (GoH3)), PE, eBioscience™

Product Details	
Size	100 µg
Species Reactivity	Human, Mouse
Published Species	Mouse, Human
Host/Isotype	Rat / IgG2a, kappa
Recommended Isotype Control	Rat IgG2a kappa Isotype Control (eBR2a), PE, eBioscience™
Class	Monoclonal
Туре	Antibody
Clone	eBioGoH3 (GoH3)
Conjugate	PE
Form	Liquid
Concentration	0.2 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_891474

Applications	Tested Dilution	Publications
Immunocytochemistry (ICC/IF)	-	1 Publication
Flow Cytometry (Flow)	0.125 µg/test	55 Publications

#### **Product Specific Information**

Description: The eBioGoH3 monoclonal antibody reacts with mouse and human CD49f, also known as integrin alpha 6, very late activation antigen 6 (VLA-6 alpha chain), and platelet gplc. CD49f is a 120 kD transmembrane protein. CD49f associates with CD29, the integrin beta 1 chain, to form the VLA-6 complex; CD49f also associates with CD104, the integrin beta 4 chain, to form the vLA-6 complex; CD49f also associates with CD104, the integrin beta 4 chain, to form the alpha 6 beta 4 complex. CD49f is expressed primarily on T cells, monocytes, platelets, epithelial and endothelial cells. CD49f expression has also been found on germinal center B cells. The eBioGoH3 antibody is cross-reactive to integrin alpha 6 on human, mouse and bovine cells. This antibody has also been reported to have functional activity in blocking the binding of integrin alpha 6 to laminin.


Applications Reported: This eBioGoH3 (GoH3) antibody has been reported for use in flow cytometric analysis.

Applications Tested: This eBioGoH3 (GoH3) antibody has been tested by flow cytometric analysis of normal human peripheral blood cells. This can be used at less than or equal to 0.125  $\mu$ g per test. A test is defined as the amount ( $\mu$ g) of antibody that will stain a cell sample in a final volume of 100  $\mu$ L. Cell number should be determined empirically but can range from 10^5 to 10^8 cells /test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Excitation: 488-561 nm; Emission: 578 nm; Laser: Blue Laser, Green Laser, Yellow-Green Laser.

1

## Product Images For CD49f (Integrin alpha 6) Monoclonal Antibody (eBioGoH3 (GoH3)), PE, eBioscience™



## CD49f (Integrin alpha 6) Antibody (12-0495-82) in Flow

Staining of normal human peripheral blood cells with Rat IgG2a kappa Isotype Control PE (Product # 12-4321-80) (blue histogram) or Anti-Human/Mouse CD49f (Integrin alpha 6) PE (purple histogram). Cells in the lymphocyte gate were used for analysis.

View more figures on thermofisher.com

#### **56** References

#### Immunocytochemistry (1)

Molecular biology of the cell	Species	
The rod domain is not essential for the function of plectin in maintaining	Mouse	
tissue integrity.	Dilution	
"12-0495 was used in Immunofluorescence to demonstrate that rodless plectin can functionally compensate for the loss of full-length plectin in a knock-in mouse model."	Not Cited	
Authors: Ketema M,Secades P,Kreft M,Nahidiazar L,Janssen H,Jalink K,de Pereda JM,Sonnenberg A	2015	

## Flow Cytometry (55)

Science advances Single-cell analyses unravel cell type-specific responses to a vitamin D	<b>Specie</b> Mouse	
analog in prostatic precancerous lesions.	Dilution	
"12-0495-82 was used in Flow Cytometry to determine the impact of vitamin D signaling on prostatic precancerous esions."	1:25	
Authors: Abu El Maaty MA,Grelet E,Keime C,Rerra Al,Gantzer J,Emprou C,Terzic J,Lutzing R,Bornert JM,Laverny G, Metzger D	<b>Year</b> 2021	
Cell reports	Specie	
Integrated Single-Cell Transcriptomics and Chromatin Accessibility	Mouse	
Analysis Reveals Regulators of Mammary Epithelial Cell Identity.	Dilution	

Analysis Reveals Regulators of Mammary Epithelial Cell Identity.

"12-0495-82 was used in Flow Cytometry to provide a resource to reveal cis/trans-regulatory elements associated with MEC identity and differentiation that will serve as a reference to determine how the chromatin accessibility landscape changes during breast cancer."

Authors: Pervolarakis N,Nguyen QH,Williams J,Gong Y,Gutierrez G,Sun P,Jhutty D,Zheng GXY,Nemec CM,Dai X, Watanabe K,Kessenbrock K

View more Flow references on thermofisher.com

Not Cited

Year

2020

### More applications with references on thermofisher.com

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization. Products are varranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and for accompanying package insert ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULATE PURPOSE, CONCORDING PRODUCTS DURING THE WARRANTES TO REFUND FOR CHANTABILITY, FITNESS FOR ANY PARTICULATE VERDENT EXPLOREMENT, BUYER'S EXCLUSIVE REMEDY FOR NON-CONFONING PRODUCTS DURING THE WARRANTES OR REPLACEMENT OF OR REPLAY DOR THE NON-ONE-RES'S SOLE OPTOR NON INFRINCEMENT, BUYER'S EXCLUSIVE REMEDY OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MALURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS) AT MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. UNless otherwise expressly stated on the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.