

Ki-67 Monoclonal Antibody (SolA15), eFluor 615, eBioscience™

Product Details	
Size	100 μg
Species Reactivity	Dog, Cynomolgus monkey, Human, Mouse, Non-human primate, Rat
Published Species	Rat, Mouse, Human
Host/Isotype	Rat / IgG2a, kappa
Recommended Isotype Control	Rat IgG2a kappa Isotype Control (eBR2a), eFluor 615, eBioscience™
Class	Monoclonal
Туре	Antibody
Clone	SoIA15
Conjugate	eFluor® 615
Form	Liquid
Concentration	0.2 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2, with 0.1% gelatin
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_11151153

Applications	Tested Dilution	Publications
Western Blot (WB)	-	2 Publications
Immunohistochemistry (IHC)	-	48 Publications
Immunohistochemistry (Paraffin) (IHC (P))	-	2 Publications
Immunohistochemistry (Frozen) (IHC (F))	Assay-Dependent	_
initialioniologicaliticity (1 102011) (11 10 (1))	Assay-Dependent	
Immunocytochemistry (ICC/IF)	0.5 μg/mL	31 Publications
	· · ·	

Product Specific Information

Description: The monoclonal antibody SolA15 recognizes mouse and rat Ki-67, a 300 kDa nuclear protein. Ki-67 is present during all active phases of the cell cycle (G1, S, G2, and mitosis), but is absent from resting cells (G0). Ki-67 is detected within the nucleus during interphase but redistributes to the chromosomes during mitosis. Ki-67 is used as a marker for determining the growth fraction of a given population of cells. In studies of tumor cells, the "Ki-67 labeling index" refers to the number of Ki-67 positive cells within the population and this is used to predict outcome of particular cancer types. Ki-67 has been shown to interact with the DNA-bound protein chromobox protein homolog 3 (CBX3) (heterochromatin).

The SolA15 antibody also recognizes human, non-human primate and canine Ki-67.

Applications Reported: This SolA15 antibody has been reported for use in immunocytochemistry and immunohistochemistry.


Applications Tested: This SolA15 antibody has been tested by immunocytochemistry on fixed and permeabilized C2C12 cells at less than or equal to $0.5 \,\mu\text{g/mL}$. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest. This product has not been validated for flow cytometric analysis.


Filter Recommendation: When using this eFluor® 615 antibody conjugate, we recommend a filter that will capture the 615 emission wavelength. (for example Excitation 560/55, 585LP, Emission 645/75) A standard Alexa Fluor® 594 filter is acceptable.

Excitation: 595 nm; Emission: 615 nm.

Filtration: 0.2 µm post-manufacturing filtered.

Product Images For Ki-67 Monoclonal Antibody (SoIA15), eFluor 615, eBioscience™





Ki-67 Antibody (42-5698-82) in ICC/IF

Immunocytochemistry on fixed and permeabilized C2C12 cells using 0.5 μg/mL Rat IgG2a K Isotype Control (left) or 0.5 μg/mL Anti-Mouse/Rat Ki-67 eFluor® 615 (right). Nuclei are stained with DAPI (blue). Co-expression of DAPI and Ki-67 appears pink.

View more figures on thermofisher.com

□ 87 References

Western Blot (2)

eLife

The cell proliferation antigen Ki-67 organises heterochromatin.

"Published figure using Ki-67 monoclonal antibody (Product # 42-5698-82) in Immunofluorescence'

Authors: Sobecki M,Mrouj K,Camasses A,Parisis N,Nicolas E,Llères D,Gerbe F,Prieto S,Krasinska L,David A,Eguren M, Birling MC,Urbach S,Hem S,Déjardin J,Malumbres M,Jay P,Dulic V,Lafontaine DLj,Feil R,Fisher D

Species

Human Mouse

Dilution

Not Cited Not Cited

Year 2016

Nature communications

NF-B-induced microRNA-31 promotes epidermal hyperplasia by repressing protein phosphatase 6 in psoriasis.

Authors: Yan S,Xu Z,Lou F,Zhang L,Ke F,Bai J,Liu Z,Liu J,Wang H,Zhu H,Sun Y,Cai W,Gao Y,Su B,Li Q,Yang X,Yu J, Lai Y,Yu XZ,Zheng Y,Shen N,Chin YE,Wang H

Species Human

Mouse

Dilution Not Cited Not Cited

Year 2015

Immunohistochemistry (48)

JCI insight

Delta-like 4 is required for pulmonary vascular arborization and alveolarization in the developing lung.

"Published figure using Ki-67 monoclonal antibody (Product # 42-5698-82) in Immunohistochemistry"

Authors: Xia S.Menden HL.Townley N.Mabry SM.Johnston J.Nyp MF.Heruth DP.Korfhagen T,Sampath V

Species Not Applicable

DilutionNot Cited

Year 2021

Life science alliance

CDCP1 promotes compensatory renal growth by integrating Src and Met signaling.

"Published figure using Ki-67 monoclonal antibody (Product # 42-5698-82) in Immunohistochemistry" Authors: Kajiwara K,Yamano S,Aoki K,Okuzaki D,Matsumoto K,Okada M Species Not Applicable

DilutionNot Cited

Year 2021

View more IHC references on thermofisher.com

More applications with references on thermofisher.com

IHC (P) (2) ICC/IF (31) Flow (3) FN (1)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation,"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, in, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to any produced resample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT, BUYER'S EXCLUSIVE REMEDY FOR NON-CORNING PRODUCTS AND FOR INFORMING PRODUCTS SURNING FOR PRODUCTS, AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption to human or animals.